



XML C Technology for HP OpenVMS Installation Guide and Release Notes

April 2008

Version 2.0-2, based on
Apache Xerces C Version 2.2.0 and
Apache Xalan C Version 1.5

Contents

[Before Installing XML C Technology](#)

[Hardware Prerequisites](#)
[Software Prerequisites](#)

[Installing XML C Technology](#)

[Downloading the Kit](#)
[Expanding the Kit](#)
[Installing the Kit](#)

[After Installing XML C Technology](#)

[Building XML C Sources](#)

[Release Notes](#)

[Support](#)

Before Installing XML C Technology

Hardware Prerequisites

XML C Technology for OpenVMS is available only on the OpenVMS Alpha platform.

The *XML C Technology for OpenVMS* self-extracting file requires approximately 58,000 blocks (30 MB) of disk space for OpenVMS Alpha and expanding the file requires an additional 206,783 blocks for Alpha.

The installation procedure allows you to choose to install some or all of the XML components. The total disk space required is approximately 136,831 to 182,330 blocks for OpenVMS Alpha, depending on the installation options you choose.

Software Prerequisites

For OpenVMS Alpha:

HP OpenVMS Alpha Version 7.3-2 (or higher)
HP C++ Version 7.1 (or higher) for OpenVMS Alpha

Installing on an ODS-5 enabled disk is required. Because of long file names and directory depth issues, the installed code base and the accompanying documentation cannot be guaranteed to function properly in a non-ODS5 environment.

Installing XML C Technology

Removing the Previous Version

Before installing the current version of OpenVMS XML C, you must remove any previous versions.

For example, to remove the previous version, invoke the uninstall procedure by entering the following command:

```
$ @XML-C$ROOT:[XML-C-2_0]UNINSTALL_XML-C-2_0
```

Downloading the Kit

The XML C for OpenVMS kit is included with the OpenVMS Alpha layered product distributions. Please fill out the [registration form](#) to download a compressed, self-extracting file from the XML Technology for OpenVMS website.

Expanding the Kit

To expand the *XML C Technology for OpenVMS* file, perform the following steps:

1. Set default to a directory on the ODS-5 disk where the installation files can be extracted. You can download and extract the files to either an ODS-2 or an ODS-5 disk. However, you must install the kit on an ODS-5 disk.

For example:

```
$ SET DEFAULT DISK:[EXTRACT]
```

2. Enter the following command to extract relevant files from the XML C kit. In this example, the file (for OpenVMS Alpha) was downloaded to DISK:[DOWNLOADS].

```
$ RUN DISK:[DOWNLOADS]XML-C-2_0-2_ALPHA.EXE
```

The RUN command extracts INSTALL_XML-C-2_0.COM and a number of other files needed to complete the installation.

Installing the Kit

Note: This kit creates logicals in the system name table. Therefore, the SYSNAM privilege is required.

To install the *XML C Technology for OpenVMS* kit, enter the following command:

```
$ @ [.XML-2_0.KIT] INSTALL_XML-C-2_0
```

The installation directory name is case-sensitive; for example,
ODS5_DISK\$: [YourName.XMLC_Install]

The following is a log of a sample installation. Your log will look very similar depending on the platform and configuration settings.

Welcome to OpenVMS (TM) Alpha Operating System, Version 7.3-2

Username: system

Password:

Welcome to OpenVMS (TM) Alpha Operating System, Version 7.3-2 on node

Last interactive login on Friday, 2-MAY-2004 02:24:14.29

Last non-interactive login on Friday, 2-MAY-2004 02:24:15.76

\$ SET DEF DISK: [EXTRACT]

\$ RUN DISK: [DOWNLOADS]XML-C-2_0-2_ALPHA.EXE

```
Archive: DISK:[DOWNLOADS]XML-C-2_0-2_ALPHA.EXE
  creating: [.XML-2_0]
  creating: [.XML-2_0.DOCUMENTATION]
  inflating: [.XML-2_0.DOCUMENTATION]xalan-c-docs-2_0.SAV
  inflating: [.XML-2_0.DOCUMENTATION]xerces-c-docs-2_0.SAV
  creating: [.XML-2_0.EXAMPLES]
  inflating: [.XML-2_0.EXAMPLES]xalan-c-samples-2_0.SAV
  inflating: [.XML-2_0.EXAMPLES]xerces-c-samples-2_0.SAV
  creating: [.XML-2_0.KIT]
  inflating: [.XML-2_0.KIT]BUILD_XML-C-2_0.COM
  inflating: [.XML-2_0.KIT]DOC_DESCRIPS_XML-C-2_0.TXT
  inflating: [.XML-2_0.KIT]INSTALL_XML-C-2_0.COM
  inflating: [.XML-2_0.KIT]SRC_DESCRIPS_XML-C-2_0.TXT
  inflating: [.XML-2_0.KIT]UNINSTALL_XML-C-2_0.COM
  inflating: [.XML-2_0.KIT]xalan-c-bin-2_0.SAV
  inflating: [.XML-2_0.KIT]XALAN_SAMPLES_XML-C-2_0.COM
  inflating: [.XML-2_0.KIT]xerces-c-bin-2_0.SAV
  inflating: [.XML-2_0.KIT]XERCES_SAMPLES_XML-C-2_0.COM
  inflating: [.XML-2_0.KIT]XML-C-2_0-TP.COM
  inflating: [.XML-2_0.KIT]XML-C-2_0_INDEX.HTML_TEMPLATE
  inflating: [.XML-2_0.KIT]XML-C-2_0_INDEX.HTML_TEMPLATE2
  creating: [.XML-2_0.SOURCES]
  inflating: [.XML-2_0.SOURCES]xalan-c-src-2_0.SAV
  inflating: [.XML-2_0.SOURCES]xerces-c-src-2_0.SAV
  creating: [.XML-2_0.TOOLS]
```

\$ @ [.XML-2_0.KIT] INSTALL_XML-C-2_0

XML-C V2.0 Installation Procedure

Before installing this kit, please make sure that the following prerequisites have been met. If they have not been met, the installation procedure may be unable to complete and may terminate:

- 1) The installed operating system is OpenVMS Alpha V7.3-2 or later.
- 2) The installed version of HP C++ for OpenVMS Alpha Systems is V7.1 or higher.
- 3) An ODS-5 enabled disk is available and mounted.

Note
Questions, where indicated, accept a response of
"H" to request additional Help and information.

Please enter the ODS-5 target destination device and directory or logical name indicating the location where you would like to install XML-C V2.0. This location will become the base directory for XML-C V2.0: (H)
[ODS5_DISK\$:[XML]]: ODS5_DISK\$:[XML]

Sources

The sources are provided for those that may wish to build them in order to do development work in this area.

You can choose to install all of the sources, or none of it.

1.	[]	Xerces V2.2.0	~ 27068 blocks
2.	[]	Xalan V1.5	~ 17265 blocks

[x] = Selected, [] = Not Selected

Enter: 1 through 2 - To toggle a selection
A - To select All sources
N - To select No sources
Y - To proceed with the installation

A, N, 1-2, or Y : a

1.	[x]	Xerces V2.2.0	~ 27068 blocks
2.	[x]	Xalan V1.5	~ 17265 blocks

[x] = Selected, [] = Not Selected

Enter: 1 through 2 - To toggle a selection
A - To select All sources
N - To select No sources
Y - To proceed with the installation

A, N, 1-2, or Y : y

No further questions will be asked.

```
Installing binaries...
  Xerces-C-2_0...
  Xalan-C-2_0...
```

```
Installing examples...
  Xerces-C-2_0...
  Xalan-C-2_0...
```

```
Installing sources...
  Xerces-C-2_0...
  Xalan-C-2_0...
```

XML-C V2.0 Installation complete.

XML-C\$ROOT, XERCES-C\$ROOT and XALAN-C\$ROOT have been defined.
The following lines must be added to SYS\$MANAGER:SYLOGICALS.COM so that it
will be defined each time the system is rebooted.

```
$ define/sys/nolog/trans=concealed XML-C$ROOT ODS5_DISK:[XML.]
$ define/sys/nolog/trans=concealed XERCES-C$ROOT ODS5_DISK:[XML.Xerces-C-
2_0.]
$ define/sys/nolog/trans=concealed XALAN-C$ROOT ODS5_DISK:[XML.Xalan-C-2_0.]
```

Press the <Enter> key to continue:

Post Installation Checkout

Verification of the installation can be performed using the XML-C
Test Procedure. To run the XML-C Test Procedure, enter the
following command:

```
$ @XML-C$ROOT:[XML-C-2_0]XML-C-2_0-TP
```

Should you wish to remove XML-C V2.0, enter the following command:

```
@XML-C$ROOT:[XML-C-2_0]UNINSTALL_XML-C-2_0
```

After Installing XML C Technology

After the installation is complete, perform the following tasks.

Add the following lines to SYS\$MANAGER:SYLOGICALS.COM so that XML C Technology is defined
each time the system is rebooted.

```
$ define/sys/nolog/trans=concealed XML-C$ROOT ODS5_DISK:[XML.]
$ define/sys/nolog/trans=concealed XERCES-C$ROOT ODS5_DISK:[XML.Xerces-C-2_0.]
$ define/sys/nolog/trans=concealed XALAN-C$ROOT ODS5_DISK:[XML.Xalan-C-2_0.]
```

Optionally run the XML C Test Procedure. To run the test procedure, enter the following command:

```
$ @XML-C$ROOT:[XML-C-2_0]XML-C-2_0-TP
```

Interpreting the results of the XML C Test Procedure

The XML Test Procedure compares the output from the tests with a set of benchmarks. Because of the nature of the tests, some differences between the results and the benchmarks are to be expected. The following describes the common differences which are expected to occur.

Many of the tests display the amount of time it takes to parse the document. For example,

```
SAXCount will output:
personal.xml: 736 ms (37 elems, 12 attrs, 134 spaces, 134 chars)
```

The values are the parse time, and the count of elements, attributes, ignorable whitespaces, and characters appearing in the document. The parse time will vary based on a number of factors and is not likely to match the time in the benchmark, however, the element counts should match.

Note: The results produced by this and other similar programs should never be accepted as true performance measurements.

Following is a session log containing a run of the XML C Test Procedure followed by a section showing the differences between the run log and supplied benchmark. Your log should look very similar depending on the platform.

```
$ @XML-C$ROOT:[XML-C-2_0]XML-C-2_0-TP
```

```
No test specified. All applicable tests will be run.
Starting Xerces-C tests...
%DCL-S-SPAWNED, process SYSTEM _179 spawned
%DCL-S-ATTACHED, terminal now attached to process SYSTEM_179
%DCL-S-RETURNED, control returned to process _FTA55:
Starting Xalan-C tests...
%DCL-S-SPAWNED, process SYSTEM _14 spawned
%DCL-S-ATTACHED, terminal now attached to process SYSTEM _14
%DCL-S-RETURNED, control returned to process _FTA55:
Tests complete. Check XML-C$ROOT:[XML-C-2_0]XML-C-TP.LOG for errors.
```

```
$ type XML-C$ROOT:[XML-C-2_0]XML-C-TP.LOG
```

```
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
   6   96
   7   ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
   6  126
   7   ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
  20   33
  21   ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
```

```

20    34
21    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
34    24
35    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
34    19
35    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
48    29
49    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
48    31
49    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
62    29
63    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
62    30
63    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
76    28
77    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
76    23
77    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
93    78
94    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
93    82
94    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
101   33
102   ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
101   34
102   ms (
*****

```

```

*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
  109   16
  110    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
  109   17
  110    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
  117   28
  118    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
  117   36
  118    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
  125   34
  126    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
  125   30
  126    ms (
*****
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1
  133   32
  134    ms (
*****
File XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
  133   35
  134    ms (
*****
Number of difference sections found: 12
Number of difference records found: 12

DIFFERENCES /IGNORE=()/MERGED=1-
  XML-C$ROOT:[Xerces-C-2_0.samples.RESULTS]XML-XERCES-TP.OUT;1-
  XML-C$ROOT:[Xerces-C-2_0.samples.BENCHMARKS]XML-XERCES-TP.BMK;2
Number of difference sections found: 0
Number of difference records found: 0

DIFFERENCES /IGNORE=()/MERGED=1-
  XML-C$ROOT:[Xalan-C-2_0.c.samples.RESULTS]XML-XALAN-TP.OUT;1-
  XML-C$ROOT:[Xalan-C-2_0.c.samples.BENCHMARKS]XML-XALAN-TP.BMK;3

In order to build and run all the samples provided, please refer to
XML-C$ROOT:[XML-C-2_0] BuildAllSamples_Readme.txt
For documentation on XML-C, please access the Apache website at the following
URLs:

  http://xml.apache.org/xerces-c/
  http://xml.apache.org/xalan-c/

```


Removing XML C Technology for OpenVMS

Your log will appear very similar to the following, depending on the platform.

```
$ @XML-C$ROOT:[XML-C-2_0]UNINSTALL_XML-C-2_0
```

```
XML-C V2.0 UnInstall Procedure
```

```
-----
```

Please enter device and directory where XML-C is installed ODS5_DISK\$:[XML.]:

***** Warning *****

This procedure will delete all files in the following directories and all subdirectories of the following directories. You may wish to preserve any changes and additions you have made before continuing with this procedure.

```
ODS5_DISK$:[XML.Xerces-C-2_0...]
```

```
ODS5_DISK$:[XML.Xalan-C-2_0...]
```

```
ODS5_DISK$:[XML.XML-C-2_0...]
```

Files modified by the XML-C installation procedure will be restored, provided there have been no additional modifications since XML-C was installed.

Would you like to continue this procedure? (Y, N [N]) y

```
Removing Xerces-C-2_0...
```

```
Removing Xalan-C-2_0...
```

```
Removing XML-C-2_0...
```

XML-C V2.0 Un-Install complete.

Note

You may wish to delete the top level directory that the XML-C\$ROOT logical equates to (ODS5_DISK\$:[XML.]).

You may also wish to remove the XML-C\$ROOT, XERCES-C\$ROOT, and XALAN-C\$ROOT logical name definitions from SYS\$MANAGER:SYLOGICALS.COM.

Building the XML C Sources

Building the XML-C sources is not required unless you plan to make modifications to the sources. Optionally, you can build a shareable image from the object files shipped in the object library.

If you do plan to modify the sources, it is recommended that you perform a full build of the existing code before you make any modifications. A full build will likely require several hours and is best submitted as a batch job to run overnight. To submit the build, modify the main build procedure BUILD_XML-C-2_0.COM found in XML-C\$ROOT:[000000] to specify the batch queue to use (this procedure will submit additional procedures). Then submit the main procedure using the command:

```
$ submit/queue=<your-batch-queue> XML-C$ROOT:[XML-C-2_0]BUILD_XML-C-2_0
```

Further details are provided in the BUILD_XML-C-2_0.COM procedure.

You can also invoke the main build procedure interactively using the following command, in which case all build procedures will be run interactively:

```
$ @XML-C$ROOT:[XML-C-2_0]BUILD_XML-C-2_0
```

However, based on the length of time required, this method is not recommended. Using a batch job also has the added advantage of providing log files of any errors that may occur.

Note: XALAN-C\$ROOT and XERCES-C\$ROOT must be defined in order for the build procedures to work. These logicals are defined by the XML C installation procedure; however they are defined only on the node in which XML C was installed, not on all nodes in a cluster. Be sure they are defined on the node which will be executing the batch jobs. You should either manually define them on the nodes on which you will be executing the batch jobs (assuming they point to a cluster accessible disk), or you should restrict which nodes execute the batch jobs.

Partial Builds

Once the full build has completed, subsequent builds will only recompile the sources that you modify or any sources that failed to produce an object file in the previous build. The determination as to which sources to build is based on modification dates of the sources and objects, so modifying a source will mean that the source is newer than the object and cause that object to be rebuilt. Note that if you then delete the modified source in an attempt to restore the original version, you must also delete the corresponding object to force the object to be rebuilt.

Note that modifying the source will also cause shareable images to be rebuilt, which can also be a lengthy process. It may be possible to modify the build procedure to reduce the length of time it takes to create the shareable image when only minor modifications to the sources are being made. Doing so is beyond the scope of this document. It is recommended that you disable the creation of the shareable image and/or the related options files and link against the object libraries until you are satisfied with the source changes.

Additional Parameters

You can force a full build using the CLEAN parameter. When specified, all objects, libraries, and shareables are deleted, then all sources are compiled and the object libraries and shareable images will be recreated. Sample images will be relinked.

You can compile and link with the debugger using the DEBUG parameter. When specified, any sources that are compiled will be compiled with the /DEBUG/NOOPTIMIZE qualifiers. Any images that are relinked will be relinked /DEBUG.

For example:

```
$ submit/queue=MY_QUEUE/PARAM=CLEAN XML-C$ROOT:[000000]BUILD_XML-C-2_0
$ submit/queue=MY_QUEUE/PARAM=(CLEAN,DEBUG) -
_$ XML-C$ROOT:[000000]BUILD_XML-C-2_0
```

Additional Build Options

There are additional build options contained within the XALAN-C\$ROOT:[000000]BUILD_XALAN.COM and XERCES-C\$ROOT:[000000]BUILD_XERCES.COM procedures which will control the actions of the procedures and the amount of information output. These are described in the procedures themselves.

Shareable Images

For information about creating Xerces and Xalan shareable images, refer to:

```
XML-C$ROOT:[XML-C-2_0]CREATE_SHAREABLE_README.TXT
```

XERCES_SHR contains only Xerces code. XML_SHR contains both Xerces and Xalan code. To link against these shareables, specify /OPTIONS on the LINK command, and specify the Xerces shareable file spec with the /SHARE qualifier when working with Xerces code. When working with Xalan code, specify both the Xerces and XML shareable file specs with the /SHARE qualifier. For example:

```
$ LINK -  
.  
<objects>,-  
.  
SYS$INPUT/OPTIONS,-  
XERCES-C$ROOT:[BIN]XERCES_SHR.EXE_ALPHA/SHARE  
XALAN-C$ROOT:[C.BIN]XML_SHR.EXE_ALPHA/SHARE  
$
```

To use the shareable images, you must define XERCES_SHR and XML_SHR. For example:

```
$ DEFINE/JOB XERCES_SHR XERCES-C$ROOT:[BIN]XERCES_SHR.EXE_ALPHA  
$ DEFINE/JOB XML_SHR XALAN-C$ROOT:[C.BIN]XML_SHR.EXE_ALPHA
```

Note: Using shareable images typically provides several advantages. For example, your images will be smaller than if you link them against the object libraries. They also provide entry vectors which typically do not change from build to build. This would normally mean that you would not need to relink your images for a subsequent release of XML C. However, because XML C is produced from open source code, and because of the large number of entry points in the shareables, HP cannot guarantee that you would not need to relink your images.

Object Libraries

Two object libraries are provided:

```
XERCES-C$ROOT:[LIB]XERCES.OLB  
XALAN-C$ROOT:[C.LIB]XALAN.OLB
```

If you choose to link against these object libraries, you should specify XERCES.OLB when working with Xerces code and both XERCES.OLB and XALAN.OLB when working with Xalan code. For example:

```
$ LINK -  
.  
<objects>,-  
.  
XERCES-C$ROOT:[LIB]XERCES.OLB/LIB,-  
XALAN-C$ROOT:[C.LIB]XALAN.OLB/LIB
```

Sample Images

Sample images for Xerces and Xalan are provided in the XERCES-C\$ROOT:[BIN] and XALAN-C\$ROOT:[C.BIN] directories. These images have been linked against the sharable images. If desired, they can be linked against the object libraries by changing the LINK_W_SHARE option in the build procedures. These images are executed as part of the XML-C\$ROOT:[XML-C-2_0]XML-C-2_0-TP.COM

procedure. The sources for these images can be found in XERCES-C\$ROOT:[SAMPLES...] and XALAN-C\$ROOT:[C.SAMPLES...].

Release Notes for XML C Version 2.0-2

The following are the changes from Version 2.0-1 to Version 2.0-2.

- Support for building the XML C sources on OpenVMS Alpha V8.3 has been added.
- Support for building the XML C sources using the HP C++ V7.3 compiler has been added.

Release Notes for XML C Version 2.0-1

The following are the changes from Version 2.0 to Version 2.0-1.

- The XML C Documentation has been removed from the kit. For documentation on XML C, see the following websites:

<http://xml.apache.org/xerces-c/>
<http://xml.apache.org/xalan-c/>

- Separate kits are available for Alpha and I64 platforms.
- This kit now ships Xerces and Xalan object libraries (.OLB) instead of the shareable images.

See the file create_shareable_readme.txt if you want to build Xerces and Xalan shareable images.

- Two Xerces samples and one Xalan sample are included in the kit.
See the file BuildAllSamples_Readme.txt if you want to build all samples.
- Removed requirement for C compiler.
- Removed requirement for the HP Secure Web Server for OpenVMS.

Support

V2.0-2 Customer Release Version

Support for *XML C Technology for OpenVMS* Alpha is provided by the Hewlett-Packard Company under existing OpenVMS service agreements through standard support channels. See HP support for worldwide support center telephone numbers.

If you do not have a support contract and are not interested in acquiring one, you can informally exchange information with other users in the OpenVMS newsgroup `comp.os.vms`.

For technical feedback to the XML C Technology for OpenVMS engineering team, send mail to OpenVMS.eBusiness@hp.com.